

RESCUE AND EVACUATION SOLUTIONS



CRESTO®

RESQ®



FUSION PRO WIND HARNESS 1138

Details matter. Enhanced comfort.

The 1138 harness is designed exclusively for wind power technicians. It is a durable and long-lasting harness with highly specialized features that allow you to focus on the job at hand. Forged to the highest standards from our Swedish DNA.




RED PRO X EXTENDED RESCUE AND EVACUATION BOX

When every second counts. Intuition rules.

The latest generation automatic evacuation and rescue device with superior properties. Delivered as a complete set in RESQ Vacuum+ storage box in PVC and accessory kit.



RESQ®



SMARTLINE X ULTRA VACUUM EVACUATION DEVICE

A smaller personal evacuation equipment. Smartline X is one of the worlds smallest evacuation device on the market with a remarkable capacity of 140 kg user weight and 200 meter descent distance. This device is delivered in vacuum sealed packaging with RESQ Quick Access opening.



RESQ®



RPX EVACUATION DEVICE

Big news. A small safety package. RED Pro X Compact, a portable rescue equipment to bring with you but with the same benefits as RED Pro X Extended. Evacuation harnesses included. Portable with 15 year service interval




VACUUM SOLUTIONS

UP TO **30 YEARS** PRODUCT LIFECYCLE
 LONG TERM **COST SAVING**
 LOWER **ENVIRONMENTAL** FOOTPRINT

WHAT IS VACUUM PACKING?

The vacuum pack ensures that condensation or moisture cannot appear inside the bag and cause corrosion. Furthermore, the vacuum guarantees that the components cannot move around, and therefore, they do not abrade. Additionally, an unopened vacuum package is both easy and quick to inspect locally, giving the customer the chance to make significant cost savings when inspecting their rescue equipment. As the vacuum package is unique, there is no comparable or better solution on the market.



RESQ VACUUM PACKING SOLUTIONS

			VACUUM MOBILE RED PRO X		VACUUM+ EXTENDED RED PRO X
			<ul style="list-style-type: none"> 50-200m 10 + 10 years lifetime 		<ul style="list-style-type: none"> 50-200m 15 + 15 years lifetime
	VACUUM SMARTLINE X				
	<ul style="list-style-type: none"> 50-200m 10 years lifetime 				
	VACUUM SMARTLINE X	VACUUM LIGHT ED PRO X	VACUUM ORIGINAL RED PRO X		
	<ul style="list-style-type: none"> 15m, 25m 10 years lifetime 	<ul style="list-style-type: none"> 25-100m 10 years lifetime 	<ul style="list-style-type: none"> 50-200m 10 + 10 years lifetime or 10 + 15 if upgraded to Vacuum+ Extended 		

RESQ RED PRO X

NO COMPROMISES VERIFIED PERFORMANCE

RESQ RPX is the latest generation of rescue and evacuation equipment from RESQ – designed and developed for easy use, with intuitive functions.

The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from great heights and lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified.

FEATURES

The design and functionality of the device are based on insights from professionals working at heights daily. RPX is designed to give height workers verified confidence in extreme environments and for easy implementation of user training and inspections.

USABILITY


Single-sided use for safe handling, all features in the front – no more losing valuable time, twisting and turning the device to double-check. Universal power tool interface for heavy lifting, up to 255 m. Top-mounted swivel for optimal positioning, even in tight conditions and confined space. Laser printed, easy to read data and pictograms, engraved on the device. Verified and tested to weight and descent of 280 kg/255 m.

LIFTING

The device comes with a lifting function where the connection of machine-driven accessories simplifies and facilitates lifting at longer distances as standard. With the help of a power tool, the equipment can lift 140 kg at a distance of 255 m.

TRAINING

RPX requires a minimum of training which equals low TCO (total cost of ownership) for maintenance of training certificates for your workforce. Due to the easily recognisable and intuitive design on both rescue equipment and accessories, the kit is practical and cost efficient to introduce to an already trained workforce that holds GWO or a similar height training certificate.




RED PRO X ORIGINAL

Rescue and evacuation device, box

Delivered as a complete set in RESQ Vacuum storage box in PVC and accessory kit.

50 m	087003212050
75 m	087003212075
83 m	087003212083
90 m	087003212090
100 m	087003212100
105 m	087003212105
125 m	087003212125
140 m	087003212140
150 m	087003212150
160 m	087003213160
175 m	087003223175
180 m	087003223180
200 m	087003223200




RED PRO X EXTENDED

Rescue and evacuation device, box

Delivered as a complete set in RESQ Vacuum+ storage box in PVC and accessory kit.

50 m	087003312050
75 m	087003312075
83 m	087003312083
90 m	087003312090
100 m	087003312100
105 m	087003312105
125 m	087003312125
140 m	087003312140
150 m	087003312150
160 m	087003323160
175 m	087003323175
180 m	087003323180
200 m	087003323200




RED PRO X MOBILE

Rescue and evacuation device, liftbag

Delivered as a complete set in RESQ Vacuum lifting pack and accessory kit. Note that certified lifetime for lifting bag is 5 years.

50 m	087003231050
75 m	087003231075
83 m	087003231083
100 m	087003231100
125 m	087003231125
150 m	087003231150
175 m	087003231175
200 m	087003231200




RED PRO X BASIC

Rescue and evacuation device, Bag

RPX Basic is delivered as a complete set in a RESQ bag and accessory kit.

25 m	087003111025
40 m	087003111040
50 m	087003111050
60 m	087003111060
75 m	087003111075
83 m	087003111083
90 m	087003111090
100 m	087003111100
105 m	087003111105
110 m	087003111110
120 m	087003111120
125 m	087003111125
150 m	087003111150
160 m	087003111160





ED PRO X BASIC

Evacuation device, BAG

Delivered as a RESQ Lift bag and together with a sling.

15 m	087601111015
20 m	087601111020
25 m	087601111025
50 m	087601111050
60 m	087601111060
75 m	087601111075
100 m	087601111100



RESQ ACCESSORY PACK

Accessory kit to rescue equipment with lifting function.

012230025

- 1** 1 PCS EDGE
- 2** 1 PCS RESCUE ROPE-GRAB
- 3** 3 PCS CARABINERS, N-267G-CP
- 4** 1 PCS SMALL SINGLE PULLEY
- 5** 1 PCS 0,8M ANCHOR SLINGS
- 6** 2 PCS 1,2M ANCHOR SLINGS



SMARTLINE X

LIGHT AND INTUITIVE GREAT CAPACITY

FEATURES

RESQ Smartline X is, in its class, the smallest and lightest personal evacuation equipment due to its high capacity and size. With a maximum load of 140 kg, maximum descent distance of 200 m, and a total weight of 3.8 kg (200 m), Smartline X becomes unique.

With weights from 2 to 3,8 kg, it is easy to carry the equipment attached to the harness to ensure availability in an emergency, wherever you are in the elevated workplace.


The Aramid rope has an incredible strength-to-diameter ratio and has heat resistance to over 480° C. Therefore Smartline X is also effective where a sudden fire appears.

- **HEAT RESISTANT**
- **MAXIMUM USER WEIGHT 140 KG**
- **CAN BE MOUNTED ON THE HARNESS**
- **UP TO 200 M**



SMARTLINE X EL/TELE

Smartline X El/Tele Vacuum is developed especially for pole and tower workers but can also be used for most evacuations and rescues for heights up to 25 m. Smartline X is a small, manually controlled descent device for evacuation. It can also easily be configured for lifting a person shorter distances in a rescue.





SMARTLINE X
Evacuation equipment
Delivered in a small bag.

15 m	012230117
25 m	012230118




SMARTLINE X VACUUM
Evacuation equipment
Delivered in a small bag with vacuum pack.

15 m	012230128
25 m	012230129



SMARTLINE X ULTRA
Evacuation equipment
Delivered in a red bag with shoulder straps.

50 m	012230120
75 m	012230125
100 m	012230121
125 m	012230122
150 m	012230123
200 m	012230124



SMARTLINE X ULTRA VACUUM
Evacuation equipment
Delivered in a vacuum-packed red bag with shoulder straps.

50 m	012230130
75 m	012230131
80 m	012230137
100 m	012230132
125 m	012230133
150 m	012230134
160 m	012230136
200 m	012230135



SMARTLINE X EL/TELE
Evacuation equipment
Delivered in a small bag together with sling and carabiner.


15 m	012230140
25 m	012230141



SMARTLINE X EL/TELE VACUUM
Evacuation equipment
Delivered in a small bag together with sling and carabiner.

15 m	012230142
25 m	012230143

OTHER RESCUE EQUIPMENT



SAVIOUR TECHNICAL STRETCHER

Rescue Stretcher

The Saviour Technical is a roll-up stretcher that only weighs 9 kg, including the standard lifting harness. It is easy to carry, easy to deploy, and easy to re-stow.

012230343



SAVIOUR LIFTING BRIDLE

Adjustable Lifting Harness

Adjustable lifting bridle that is used together with the Savior Technical Stretcher.

012230353



SKED RESCUE SYSTEM

Rescue stretcher

Sked Rescue System is a versatile and compact rescue stretcher for rescue situations in difficult environment.

012230333



R-ALF 3:1

Rescue equipment

3:1 mechanical advantage. Delivered in a RESQ Lifting bag and together with a sling. Approx. 20 m working distance.

65 m

012231105



R-ALF 5:1

Rescue equipment

5:1 mechanical advantage. Delivered in a RESQ Lifting bag and together with a sling. Approx. 20 m working distance.

100 m

012231101



RESCUE OVER EDGE WITH SKED RESCUE SYSTEM



ACCESSORIES



SMALL SINGLE PULLEY Pulley

This lightweight pulley from ISC is a given component when working at height and is useful in a variety of environments.

012265021



RESQ ROPE-GRAB Rope grab for rescue

Rescue Rope-Grab is used together with your rescue equipment for rescues from fall arrest systems.

012265088



SLING 25 3683

A strong anchor sling with a 25 mm wide polyamid webbing.

0.6 m	012255000
0.8 m	012255001
1 m	012255002
1.2 m	012255003
1.5 m	012255005
2 m	012255004



PULLEY AID SYSTEM Pulley System

Cresto's Pulley Aid System is a small pulley system used as a help during lifting 6:1 ratio. This system is CE marked compared to our previous Pulley System.

1.2-1.3 m	012270192
4.5 m	012270191
6 m	012270193



N-267G-CP Carabiner

steel carabiner with 2-way gate opening and captive pin.

012249949



WIRE ANCHOR STROP Anchoring 9103

Strong wire sling that is used as a temporary anchor point. Complement the sling with carabiner 012250064 CT, Pillar Steel SG.

1 m	012255105
1.5 m	012255110
2 m	012255113



EVACUATION HARNESS

Harness 6711

Simple evacuation harness to be used with an evacuation device when the user doesn't have a fall protection harness.

012232001



RESCUE UP

Power tool

DeWalt Power tool for lifting operations with RED Pro X. Max capacity 150m lifting. Kit includes Power tool, 2 batteries (9 Ah), charger, tool lanyard and connecting sling.

RUP-3-001



CRESTO CROWN

ELECTRO

9445

Light safety helmet, electrically insulated and prepared to be easily fitted with visor and earmuffs

White	012263101
Yellow	012263102
Blue	012263103
Red	012263104
Hi-viz	012263105



PACQ BACKPACK/LIFT

Backpack 9450

This RESQ branded backpack is suitable for storage and moving ropes and rescue equipment.

48 l 012260038

PERSONAL FALL ARREST EQUIPMENT



ENERGY PRO WIND

Harness 1136 - Wind

This is a customised version of the Energy Pro Harness (1136), designed for work in wind turbines. Also in hi-viz, see website.

S	012200501
M	012200502
L	012200503
XL	012200504



FUSION ACTIVE+ WIND

Harness 1137

This harness has excellent comfort and fits the body perfectly. It's the ultimate harness for wind technicians.

S/M	012200610
L/XL	012200620



FUSION PRO WIND

Harness 1138

An ANSI certified version of our popular harness 1137. Developed together with professionals from the wind industry.

S/M	012200630
L/XL	012200640
XXL	012200650





FUSION PRO SINGLE-FLEX & TWIN-FLEX

Fall arrest lanyard 1601 and 1602


These two fall arrest lanyards are made with flexible webbing and has an ANSI certificate. The maximum user weight is 140 kg.

1601

1.8 m	012203845
-------	-----------

1602

1.8 m	012203835
-------	-----------




STAY

Work positioning lanyard 9654

Stay is a support lanyard with materials of the highest quality. The line is certified for 140 kg and approved according to both CE and ANSI.

1 m	012204060
1.2 m	012204062




SIMO H-A

Work positioning lanyard 2343

A work positioning lanyard with a simple one-hand adjustment and ANSI certified carabiner and hook.

1.5 m	012204040
2 m	012204041
5 m	012204042
10 m	012204043
30 m	012204045
2 m, Simo CE	012204047



SIMO PRO H-A

Work positioning lanyard 2353

A work positioning lanyard with a simple one-hand adjustment and ANSI certified with ANSI carabiner and hook. End-loop for shortening the slack when climbing.

1.0 m	012204065
1,5 m	012204066
1,8 m	012204067
2,0 m	012204068
2,5 m	012204069





TRAINING

We have extensive experience in the delivery of safety at heights training. Visit our website [crestosafety.com](https://www.crestosafety.com) for more information and complete training programme.

We are also certified to deliver GWO training courses. All courses can be held at our training centres in Sweden and Norway. Many courses can also be offered on-site at your location.

- **GWO WORKING AT HEIGHTS (WAH)**
- **GWO FIRST AID (FA)**
- **GWO SEA SURVIVAL (SS)**
- **GWO MANUAL HANDLING (MH)**
- **GWO FIRE AWARENESS (FAW)**
- **GWO ENHANCED FIRST AID (EFA)**
- **GWO ADVANCED RESCUE TRAINING (ART)**

We have an extensive network of partners around the world. To find your local RESQ partner, go to our website/Resellers or scan the code.



CRESTO SAFETY S.R.O.
+421 48 414 70 74
support@cresto.com
www.crestosafety.com

 **CRESTO SAFETY**