

RED PRO X BASIC

Rescue and evacuation device, bag

- Extremely good lifting capacity
- Water sealed brake housing
- Intuitive and easy to use

Standards: **EN 341 : 2011** **EN 1496 : 2017** **ANSI Z359.4-2013**
CSA Z259.2.3-12



Product description

The latest generation automatic evacuation and rescue device with superior properties.

RESQ RPX is the latest generation of rescue and evacuation equipment from RESQ – designed and developed for easy use with intuitive functions. The RPX can handle most rescue scenarios in various industries and extreme environments, from evacuation from high heights, lifting from deep shafts to advanced rescues, the height worker can feel confident that the equipment performance is verified.

The design and functionality of the device are based on insights from professionals working at heights daily. RPX is designed to give height workers verified confidence in extreme environments and for easy implementation of user-training and inspections.

Single-sided use for safe handling - all features on frontside - no more losing valuable time, twisting and turning the device to double-check. Universal power tool-interface for heavy lifting, up to 255m. Top-mounted swivel for optimal positioning, even in tight conditions and confined space. Laser printed, easy to read data and pictograms, engraved direct and permanently on the body. 280 kg – 255m verified and tested decent weight and height!

The device comes with a lifting function where the connection of machine-driven accessories simplifies and facilitates lifting at longer distances as standard. With the help of a power tool, the equipment can lift a load of 140 kg at a distance of 255 meters.

RPX requires a minimum of training which equals Low TCO for maintenance of training certificates for your workforce. Due to the easily recognizable and intuitive design on both rescue equipment and accessories, the kit is both practical and cost-efficient to introduce to already trained workforce which holds GWO or similar height training certificate.

RPX Basic is delivered as a complete set in a RESQ bag and accessory kit.

Material shortages due to the pandemic have resulted in the need for Cresto Group to periodically and temporarily replace certain components on our products with replacement components fulfilling the same function. Due to this, the product images may differ from that which is delivered.

Product properties

Brand:	RESQ
Material:	Polyamide, Aluminum , Techno polymers
Minimum load (kg):	40
Maximum load (kg):	200
Maximum number of users:	2
Minimum working temperature (c):	-30
Maximum working temperature (c):	60

EN-standard:	EN 341 : 2011, EN 1496 : 2017
Other standards:	ANSI Z359.4-2013, CSA Z259.2.3-12
Notified body:	0200, FORCE Certification A/S, Main office, Park Allé 345, DK-2605 Brøndby, Denmark
Annual inspection:	Yes, every 12 months
Life span:	10 years
RFID:	Yes
Warranty:	2 year
Declaration of Conformity:	Yes
Rope:	Polyamide/polyamide 32-braided kernmantel construction 9,6mm
Maximum rope length (m):	255
Fall indicator:	No
Maximum descent:	255 meters
Descent speed (m/s):	0,9-1,6
Minimum breaking strength - MBS (kN):	20
Energy absorber:	No
Gate feature:	Tri-lock
Gate strength (kN):	16
Attaching connector 1:	Device: Aluminum carabiner with swivel
Attaching connector 2:	Rope: Aluminum carabiner
Functions:	Descend function, Lifting function
Extra functions:	Lift with external power source
Mechanics:	Centrifugal brake
Lifting mechanics:	Gear, ratio 1:9
Adjustable under load:	Yes

Reference	Article name	Size (m)	Colors	GTIN	Country of origin
087003111025	RESQ, RPX200 Basic, 25m, bag, accs.	25	BLACK	7350015799295	Slovakia
087003111040	RESQ, RPX200 Basic, 40m, bag, accs.	40	BLACK	7350015799608	Slovakia
087003111050	RESQ, RPX200 Basic, 50m, bag, accs.	50	BLACK	7350015799615	Slovakia
087003111060	RESQ, RPX200 Basic, 60m, bag, accs.	60	BLACK	7350015799622	Slovakia

087003111075	RESQ, RPX200 BASIC, 75M, BAG, ACCS.	75	BLACK	7350015799639	Slovakia
087003111083	RESQ, RPX200 Basic, 83m, bag, accs.	83	BLACK	7350015799646	Slovakia
087003111090	RESQ, RPX200 Basic, 90m, bag, accs.	90	BLACK	7350015799653	Slovakia
087003111100	RESQ, RPX200 Basic, 100m, bag, accs.	100	BLACK	7350015799660	Slovakia
087003111105	RESQ, RPX200 Basic, 105m, bag, accs.	105	BLACK	7350015799677	Slovakia
087003111110	RESQ, RPX200 Basic, 110m, bag, accs.	110	BLACK	7350015799684	Slovakia
087003111120	RESQ, RPX200 Basic, 120m, bag, accs.	120	BLACK	7350015799691	Slovakia
087003111125	RESQ, RPX200 Basic, 125m, bag, accs.	125	BLACK	7350015799707	Slovakia
087003111150	RESQ, RPX200 Basic, 150m, bag, accs.	150	BLACK	7350015799714	Slovakia
087003111160	RESQ, RPX200 Basic, 160m, bag, accs.	160	BLACK	7350015790186	Sweden